

## eCW Clinical Documentation Guide

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older
Relevance	<p style="text-align: center;">NPO Population Clinical Data Dashboard Measure [NQF 0043: Prevention &amp; Screening Measure]            ACO Quality Measure #15 [GPRO: Preventive Measure]            MIPS Clinical Quality Measure [CMS 127 (EHR)/Registry 111: Process Measure]</p>
Measure Definition	<p style="text-align: center;"><i>The percentage of patients, aged 65 years and older, who have ever received a Pneumococcal vaccine</i></p>
Measurement Period	<p style="text-align: center;">The <b>Measurement Period</b> is defined as the current calendar year (January 1 to December 31)</p>
Denominator	<p style="text-align: center;">The <b>Denominator</b> consists of patients who:</p> <ol style="list-style-type: none"> <li>I. Are <math>\geq</math> 65 years of age at the start of the Measurement Period</li> <li>II. <b>AND</b>, Were seen for an applicable E&amp;M encounter during the Measurement Period</li> </ol>
Numerator	<p style="text-align: center;">The <b>Numerator</b> consists of patients, from the Denominator, who:</p> <ol style="list-style-type: none"> <li>I. Were administered a <i>Pneumococcal</i> vaccine (either Pneumococcal Conjugate or Pneumococcal Polysaccharide) before the end of the Measurement Period</li> <li>II. <b>Or</b>, Have documentation, in their chart in the EMR, of a <i>Pneumococcal</i> vaccine given in the past (documented before the end of the Measurement Period)</li> </ol>
Exclusions and/or Exceptions	<p style="text-align: center;">None</p> <p style="text-align: center;">(continued)</p>

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p><b>Measure Documentation</b></p>	<p style="text-align: center;"><b><u>To Qualify For This Measure</u></b> <i>(Denominator Documentation)</i></p> <p style="text-align: center;"><b>The patient must be/have been seen for an applicable visit encounter during the Measurement Period</b></p> <p><b>A. The following E&amp;M codes identify applicable visit encounters</b></p> <ol style="list-style-type: none"> <li>1. 99201 - 99205 and 99212 - 99215</li> <li>2. 99341 - 99345, 99347 - 99350, 99385 -99387 and 99395 - 99397</li> <li>3. G0438 and G0439</li> </ol> <p><b>B. Record the appropriate E&amp;M code in the Billing section of the Progress Note for the visit</b> <i>(Progress Notes → Billing )</i></p> <hr/> <p style="text-align: center;"><b><u>To Satisfy This Measure</u></b> <i>(Numerator Documentation)</i></p> <p><b>I. Document the administration/receipt of this vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <p><b>A. If the vaccine is administered in your office:</b></p> <ol style="list-style-type: none"> <li>1. From within the open Progress Note, click on the "Immunizations" link</li> <li>2. The "Immunizations/T. Injections" window will open</li> <li>3. Click "Add" to open the "Immunization Details" window</li> <li>4. Select the appropriate <i>Pneumococcal</i> vaccine from the left-hand panel</li> <li>5. Complete all open fields in the right-hand panel</li> <li>6. Click "OK" to save and close</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p style="text-align: center;"><b>Measure Documentation</b> <i>(continued)</i></p>	<p><b>B. If the vaccine was administered at another health facility</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit, or from the patient's Hub in eCW</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the appropriate <i>Pneumococcal</i> vaccine from the left-hand panel</li> <li>4. In the right-hand panel: <ol style="list-style-type: none"> <li>a. Check the "Y" radio button for "Vaccination Given in the Past"</li> <li>b. Enter the "Dose Number"</li> <li>c. Change the "Status" to "Administered"</li> <li>d. Enter the name of the Provider or Health Facility that administered the vaccine in the "Given By" field, if known</li> <li>e. Enter the date the vaccine was administered in the "Given Date/Time" field</li> </ol> </li> <li>5. Click "OK" to close</li> <li>6. Note: Vaccines marked "Given in the Past" should not push to MCIR</li> </ol> <p><b>C. Measure Notes</b></p> <ol style="list-style-type: none"> <li>1. Credit is provided for any adult, 65 years of age or older, who have ever received either the PCV13 or PPSV23 vaccine (or both)</li> <li>2. However, the ACIP recommends that patients receive both vaccines</li> <li>3. <b>If a patient is reporting the previous receipt of a <i>Pneumococcal</i> vaccine, documentation in the medical record must contain the following</b> <ol style="list-style-type: none"> <li>a. The Date (year) the vaccine was administered</li> <li>b. The type of vaccine that was administered (PPSV23 or PCV13)</li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p style="text-align: center;"><b>Measure Documentation</b> <i>(continued)</i></p>	<p><b>II. <u>OR</u>, Document a <i>Pneumococcal</i> immunization as a procedure</b></p> <p>A. The following CPT codes identify a <i>Pneumococcal</i> vaccine administration procedure: 90670 and 90732</p> <p>B. The following CPT II code identifies the previous receipt of a <i>Pneumococcal</i> immunization:</p> <p style="padding-left: 40px;">4040F: "<i>Pneumococcal</i> vaccine administered or previously received"</p> <p>C. <b>Record the appropriate CPT or CPT II code in the Billing section of the Progress Note for the visit during which the immunization was administered</b> <i>(Progress Notes → Billing)</i></p> <p>D. <b>Note: For ease of reference, documentation of the immunization in the "Immunizations/T. Injections" section of the patient's chart is the preferred method of documentation for this measure</b></p> <p><b>III. If the <i>Pneumococcal</i> vaccine should not or cannot, be administered due to a medical reason, or is not administered due to patient refusal:</b></p> <p>A. <b>Document the non-administration of the <i>Pneumococcal</i> vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit, or from the patient's Hub in eCW</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the appropriate <i>Pneumococcal</i> vaccine from the left-hand panel</li> <li>4. In the right-hand panel: <ol style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field <ol style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> </ol> </li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

eCW Clinical Documentation Guide

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p><b>Measure Documentation</b> <i>(continued)</i></p>	<p style="text-align: center;">a) If the patient has refused, click the "patient Decision" radio button b) For any other reason, type the reason in the field labeled "Other"</p> <p style="text-align: center;">2) Click OK to close the window</p> <p>5. Click "OK" to exit</p> <p style="text-align: center;">a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered) b. The vaccine, and the reason given for non-administration, will push to MCIR</p> <p><b>B. Also, document any allergies or intolerances to the <i>Pneumococcal</i> vaccine in the "Allergies" section of the patient's chart in eCW</b></p>
<p><b>Exception and/or Exclusion Documentation</b></p>	<p style="text-align: center;">None</p>
<p><b>Trouble-Shooting</b></p>	<p style="text-align: center;"><b><u>Having Problems? Check Out the Following Trouble-Shooting Tips</u></b></p> <p>I. Verify that a correct CVX code has been linked with the immunization in your EMR</p> <p style="padding-left: 40px;"><b>A. One of the following CVX codes must be linked to the <i>Pneumococcal</i> vaccine:</b></p> <p style="padding-left: 80px;">1. Pneumococcal Polysaccharide (PPSV23) = 33 2. Pneumococcal Conjugate (Pevnar 13) = 133</p> <p style="padding-left: 40px;"><b>B. To link a CVX code to an immunization, do the following:</b></p> <p style="padding-left: 80px;">1. From the EMR menu in eCW, click on "Immunizations/Therapeutic Injections" 2. Select "Immunizations/Therapeutic Injections" from the drop-down list of options 3. The "Immunizations/Therapeutic Injections" window will open</p>

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p><b>a. To add or update the CVX code for an existing immunization:</b></p> <ol style="list-style-type: none"> <li>1) Select the immunization to be modified</li> <li>2) Click the carat next to the "New" button</li> <li>3) Select "Update" from the drop-down list of options</li> <li>4) The "Update Immunization" window will open               <ol style="list-style-type: none"> <li>a) Click the "Sel" button adjacent to the "CVX Code" field</li> <li>b) Select the appropriate CVX code from the drop-down list of options</li> <li>c) Click "OK" to exit the window</li> </ol> </li> <li>5) Click "Close" to save the information and return to the EMR menu</li> </ol> <p><b>b. To add a new immunization and associated CVX code</b></p> <ol style="list-style-type: none"> <li>1) From the "Immunizations/Therapeutic Injections" window, click the "New" button               <ol style="list-style-type: none"> <li>a) Enter the information for the new immunization in the displayed fields</li> <li>b) Click "OK" to exit the window</li> </ol> </li> <li>2) A "New Immunization" window will open</li> <li>3) Click "Close" to save the information and return to the EMR menu</li> </ol>
	<p><b>II. Verify that any/all applicable Allergies have been documented in the "Allergies/Intolerances" section of the patient's chart in eCW</b></p> <p>A. Access the "Allergies/Intolerances" section of the patient's chart in one of the following ways:</p> <ol style="list-style-type: none"> <li>1. <i>Progress Note (or Virtual Visit) → Allergies/Intolerances</i></li> <li>2. <b>OR</b>, From the Progress Note Dashboard, click the Allergies/Intolerance icon</li> </ol> <p style="text-align: center;"><i>(continued)</i></p>

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p><b>B. Add a new Allergy or Intolerance as follows:</b></p> <ol style="list-style-type: none"> <li>1. From the "Allergies/Intolerance" window, click "Add"</li> <li>2. The "Past Medical History" window will open       <ol style="list-style-type: none"> <li>a. <b>"Structured/Non-Structured" Field</b> <ol style="list-style-type: none"> <li>1) Select "Structured" if documenting a Drug allergy</li> <li>2) Select "Non-Structured" if documenting a non-Drug allergy</li> </ol> </li> <li>b. <b>"Agent/Substance" Field</b> <ol style="list-style-type: none"> <li><b>1) For a Structured (Drug) Allergy</b> <ol style="list-style-type: none"> <li>a) Click on the field to open the "Select Rx" window</li> <li>b) Find and select the appropriate medication</li> <li>c) Click "OK" to save the information and exit the window</li> </ol> </li> <li><b>2) For a Non-Structured (Non-Drug/Other) Allergy</b> <ol style="list-style-type: none"> <li>a) Click in the empty field to reveal a carat for a drop-down box</li> <li>b) Click the carat to reveal a list of (Non-Drug/Other) Allergy options</li> <li>c) Select an Allergy from the list of options in the drop-down box</li> <li>d) <b>OR</b>, free-type an Allergy into the "Agent/Substance" field</li> </ol> </li> </ol> </li> <li>c. <b>"Reaction" Field</b> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Reaction" field to reveal a carat for a drop-down list of options</li> <li>2) Select the appropriate Reaction from the list of options (i.e., anaphylaxis)</li> <li>3) <b>OR</b>, Free-type a reaction into the empty field</li> </ol> </li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

**eCW Clinical Documentation Guide**

Measure Name	Pneumonia Vaccination for Patients 65 Years and Older <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p>d. <b>"Type"</b> Field</p> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Type" field to reveal a carat for a drop-down list of options</li> <li>2) Select the appropriate type (i.e., allergy versus intolerance) from the list of options</li> </ol> <p>e. <b>"Status"</b> Field</p> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Status" field to reveal a carat for a drop-down list of options</li> <li>2) Select the current status (i.e., Active versus Inactive) for the Allergy/Intolerance from the list of options</li> </ol> <hr/> <p>III. For further assistance, contact Ed Worthington (<a href="mailto:eworthington@npoinc.org">eworthington@npoinc.org</a>) or Kelly Saxton (<a href="mailto:ksaxton@npoinc.org">ksaxton@npoinc.org</a>) at NPO (231-421-8505)</p>
<p><b>For More Information</b></p>	<p style="text-align: center;"><u><b>For More Information</b></u></p> <ol style="list-style-type: none"> <li>I. NQF 0043: <b>"Pneumonia Vaccination Status for Older Adults"</b></li> <li>II. eClinicalWorks <b>"MIPS - CMS 127 - Pneumonia Vaccination Status for Older Adults"</b></li> <li>III. eClinicalWorks <b>"MIPS - Registry 111 (NQF 0043) (CMS 127) - Pneumonia Vaccination Status for Older Adults"</b></li> <li>IV. <b>2016 GPRO PREV Supporting Documents</b></li> </ol>