



2015

## Clinical quality corner

One in a series of tip sheets focusing on key Healthcare Effectiveness Data and Information Set measures

### Immunizations for adolescents

This measure looks at the percentage of 13-year-olds who had the following by their 13<sup>th</sup> birthday:

- One dose of the meningococcal vaccine

**and**

- One tetanus, diphtheria toxoids and acellular pertussis (commonly called Tdap) vaccine or one tetanus, diphtheria toxoids (commonly called Td) vaccine

#### Improving HEDIS® scores\*\*

Follow these tips:

- **Code correctly.** Clear and correct procedure coding is essential, along with the submission of claims and encounter data in a timely fashion. See table on back for details.
- **Educate adolescents and parents.** Be sure to let them know about the importance of immunizations.
- **Document all vaccines.** If patients received vaccines elsewhere, such as health department, make sure you document that. Obtain a record of the vaccines, if possible.
- **Train your staff.** Ask your staff to prepare charts in advance of visits, making a note of any overdue or missing vaccinations. Put in place a reminder system, using mail, email or text messaging.

#### Did you know?

- At least 35 million American adolescents fail to receive at least one recommended vaccine.
- In a 2014 study of the parental opinion on the importance of vaccines, adolescent vaccines were considered the least important.
- Meningococcal disease, even when treated quickly, kills 10 to 14 percent of those infected. And 11 to 19 percent of survivors suffer serious long-term side effects.

(Continued on back)

- **Review patient records.** Take advantage of all visits, such as those to obtain birth control medication or get a sports physical, to review the patient’s immunization record and update vaccines, as necessary.

## Exclusions

Anaphylactic reaction to the vaccine or its components on or before the patient’s 13th birthday

## Codes to identify adolescent immunizations

Vaccine components	Immunization codes	ICD-9	ICD-10
Tdap	*90715		
Td	*90714, *90718		
Tetanus	*90703		
Diphtheria	*90719		
Meningococcal vaccine	*90733, *90734		
Exclusion – Anaphylactic reactions		999.4, 999.42	T80.52XA, T80.52XD, T80.52XS

\*CPT codes, descriptions and two-digit numerical modifiers only are copyright 2014 American Medical Association. All rights reserved.

\*\*HEDIS is a registered trademark of the National Committee for Quality Assurance.



A nonprofit corporation and independent licensee of the Blue Cross and Blue Shield Association