

eCW Clinical Documentation Guide

Measure Name	Adolescent Well-Care Visits: 12-21 Years
Relevance	NPO Population Clinical Quality Dashboard <i>[Pediatric Measure]</i>
Measure Definition	<i>The percentage of patients, 12-21 years of age, who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the Measurement Period</i>
Measurement Period	The Measurement Period is defined as the current calendar year
Denominator	The Denominator consists of patients who are 12-21 years old by the end of the Measurement Period (December 31)
Numerator	<p>The Numerator consists of patients, from the Denominator, who have had at least one comprehensive well-care visit, with a PCP or an OB/GYN, during the Measurement Period</p> <p><u>Numerator Notes</u></p> <ul style="list-style-type: none"> A. Preventive services may be rendered on the occasion of visits other than well-child visits <ul style="list-style-type: none"> 1. Well-child preventive services count towards the measure regardless of the primary intent of the visit 2. However, services that are specific to an acute or chronic condition do not count towards satisfaction of the measure 3. Do not include services rendered during an inpatient or ED visit B. Visits to school-based clinics, with practioner types that the organization would consider PCPs, count towards satisfaction of this measure as long as documentation that a well-care exam occurred is present in the patient's medical record before the end of the Measurement Period (December 31) C. The PCP performing the well-care visit does not have to be assigned to the patient <p style="text-align: right;"><i>(continued)</i></p>

eCW Clinical Documentation Guide

Measure Name	Adolescent Well-Care Visits: 12-21 Years <i>(continued)</i>
Numerator <i>(continued)</i>	<p>D. Services that occur over multiple visits may be counted towards satisfaction of this measure as long as all required services have been performed, and documented in the medical record, prior to the end of the Measurement Period (December 31)</p>
Exclusions and/or Exceptions	<p>None</p>
Measure Documentation	<p style="text-align: center;"><u>To Qualify For This Measure</u> <i>(Denominator Documentation)</i></p> <p style="text-align: center;">Qualification is based upon age only; Verify that the patient's date of birth is accurately recorded in your EMR</p>
	<p style="text-align: center;"><u>To Satisfy This Measure</u> <i>(Numerator Documentation)</i></p> <p>I. See the patient for at least one applicable well-care visit during the Measurement Period</p> <p>A. Documentation in the medical record must include the following:</p> <ol style="list-style-type: none"> 1. A Progress Note indicative of a visit to a PCP or OB/GYN practitioner 2. The date on which the well-care visit occurred 3. Evidence of the following: <ol style="list-style-type: none"> a. A health and developmental history (physical and mental) b. A physical exam c. Health education/anticipatory guidance <p>B. The following CPT/HCPCS codes identify applicable adolescent well-care visits: 99383- 99385 and 99393 - 99395</p> <p style="text-align: right;"><i>(continued)</i></p>

eCW Clinical Documentation Guide

Measure Name	Adolescent Well-Care Visits: 12-21 Years <i>(continued)</i>
<p style="text-align: center;">Measure Documentation <i>(continued)</i></p>	<p>C. The following ICD-10 codes identify an adolescent well-care visit</p> <ol style="list-style-type: none"> 1. Z00.00, Z00.01, Z00.121, Z00.129, Z00.5, Z00.70, Z00.71 and Z00.8 2. Z02.0 - Z02.6, Z02.82 and Z02.89 <p>II. Document the well-care visit in one of the following ways:</p> <p>A. Record the appropriate CPT code for the well-care visit in the Billing section of the associated Progress Note <i>(Progress Notes → Billing)</i></p> <p>B. <u>OR</u>, Record the appropriate ICD-10 code in the Problem List of the patient's chart in eCW</p> <ol style="list-style-type: none"> 1. Add a diagnosis to the patient's Problem List by recording it as an assessment on a Progress Note <i>(Progress Note (or Virtual Visit) → Assessments → Problem List → Add)</i> 2. <u>OR</u>, Add a diagnosis to the Problem List from the Right-Hand Chart Panel <ol style="list-style-type: none"> a. From the Right-Hand Chart Panel, click the "Overview" tab <ol style="list-style-type: none"> 1) Click the orange button (with three dots) in the Progress Note band 2) Click "Add" b. Helpful Tip: When adding a new diagnosis to the Problem List, enter the onset date (if known) in the associated "Onset Date" field
<p>Exclusion and/or Exception Documentation</p>	<p style="text-align: center;">None</p>
<p>Trouble-Shooting</p>	<p style="text-align: center;">None</p> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Adolescent Well-Care Visits: 12-21 Years <i>(continued)</i>
For More Information	<p style="text-align: center;"><u>For More Information</u></p> <p>HEDIS: "Adolescent Well-Care Visits (AWC)"</p>