

eCW Clinical Documentation Guide

Measure Name	IVD: Daily Aspirin Use
<p>Relevance</p>	<p>NPO Population Clinical Quality Dashboard [NQF 0068: Cardiac Measure] ACO Quality Measure # 30 [GPRO: At-Risk Population Measure] MIPS Clinical Quality Measure [CMS 164 (EHR)/Registry 204: Process Measure]</p>
<p>Measure Definition</p>	<p><i>The percentage of patients, 18 years of age and older, who were discharged alive for Acute Myocardial Infarction (AMI), Coronary Artery Bypass Graft (CABG) or Percutaneous Coronary Intervention (PCI) in the 12 months prior to the Measurement Period <u>or</u> who had an active diagnosis of Ischemic Vascular Disease (IVD) during the Measurement Period <u>and</u> who had documentation of use of aspirin or another antithrombotic during the Measurement Period</i></p>
<p>Measurement Period</p>	<p>The Measurement Period is defined as the current calendar year (January 1 - December 31)</p>
<p>Denominator</p>	<p>The Denominator consists of patients who:</p> <ul style="list-style-type: none"> I. \geq 18 years of age at the start of the Measurement Period II. AND, Have been seen for an applicable encounter during the Measurement Period III. AND, Have at least one of the following: <ul style="list-style-type: none"> A. An active diagnosis for Acute Myocardial Infarction (AMI) within the 12 months prior to the Measurement Period B. OR, A Percutaneous Coronary Intervention (PCI) procedure performed within the 12 months prior to the Measurement Period C. OR, A Coronary Artery Bypass Graft (CABG) procedure performed within the 12 months prior to the Measurement Period D. OR, An active diagnosis for Ischemic Vascular Disease (IVD) during the Measurement Period
<p>Numerator</p>	<p>The Numerator consists of patients, from the Denominator, who have documentation of use of aspirin or another antithrombotic during the Measurement Period</p> <p style="text-align: center;"><i>(continued)</i></p>

<p>Measure Name</p>	<p>IVD: Daily Aspirin Use (continued)</p>
<p>Exclusions and/or Exceptions</p>	<p>None</p>
<p>Measure Documentation</p>	<p style="text-align: center;"><u>To Qualify For This Measure:</u> <i>(Denominator Documentation)</i></p> <p>I. The patient must be seen for an applicable visit encounter during the Measurement Period</p> <p style="padding-left: 40px;">A. The following E&M codes identify applicable encounters:</p> <p style="padding-left: 80px;">1. 99201 - 99205 and 99212 - 99215 2. 99341 - 99345, 99347 - 99350, 99385 - 99387 and 99395 - 99397 3. G0402 and G0438 - G0439</p> <p style="padding-left: 40px;">B. The appropriate E&M code should be recorded in the Billing section of the Progress Note for the visit <i>(Progress Notes → Billing)</i></p> <p>II. If applicable, a diagnosis for Acute Myocardial Infarction (AMI) and/or Ischemic Vascular Disease (IVD) should be listed in the Problem List in the patient's chart in eCW</p> <p style="padding-left: 40px;">A. The following ICD-10 codes indicate AMI:</p> <p style="padding-left: 80px;">1. I21.01 - I21.02, I21.09, I21.11, I21.19, I21.21, I21.29 and I21.3 - I21.4 2. I22.0 - I22.2 and I22.8 - I22.9 3. I23.0 - I23.8</p> <p style="padding-left: 40px;">B. The following ICD-10 codes indicate IVD:</p> <p style="padding-left: 80px;">1. I20.0 and I20.8 - I20.9 2. I24.0 - I24.1 and I24.8 - I24.9</p> <p style="text-align: right;"><i>(continued)</i></p>

eCW Clinical Documentation Guide

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Measure Documentation <i>(continued)</i></p>	<p>3. I25.10, I25.110 - I25.111, I25.118 - I25.119, I25.5 - I25.6, I25.700 - I25.701, I25.708 - I25.711, I25.718 - I25.721 I25.728 - I25.731, I25.738 - I25.739, I25.750 - I25.751, I25.758 - I25.761, I25.768 - I25.769, , I25.790 - I25.791, I25.798 -I25.799, I25.810 - I25.812 I25.82-I25.84, I25.89 and I25.9</p> <p>4. I63.00, I63.011 - I63.012, I63.019, I63.02, I63.031 - I63.032, I63.039, I63.09 - I63.10, I63.111 -I63.112, I63.119, I63.12 I63.131 - I63.132, I63.139, I63.19 - I63.20, I63.211 - I63.212, I63.219, I63.22, I63.231 - I63.232, I63.239, I63.29 - I63.30, I63.311 - I63.312, I63.319 I63.321 - I63.322, I63.329, I63.331 - I63.332, I63.339, I63.341 - I63.342, I63.349, I63.39 - I63.40, I63.411-I63.412, I63.419, I63.421-I63.422, I63.429 I63.431-I63.432, I63.439, I63.441-I63.442, I63.449, I63.49-I63.50, I63.511 - I63.512, I63.519, I63.521 - I63.522, I63.529, I63.31 - I63.532, I63.539 I63.541 -I63.542, I63.549, I63.59, I63.6, I63.8 and I63.9</p> <p>5. I65.01 - I65.03, I65.09, I65.1, I65.21 - I65.23, I65.29, and I65.8 - I65.9</p> <p>6. I66.01 - I66.03, I66.09, I66.11 - I66.13, I66.19, I66.21 - I66.23, I66.29, I66.3, I66.8 - I66.9 and 167.2</p> <p>7. I70.0 - I70.1, I70.201 -I70.203, I70.208 - I70.209, I70 211 - I70.213, I70.218 - I70.219, I70.221 -I70.223, I70.228, I70.229 I70.231 - I70.235, I70.238 - I70.239, I70.241 - I70.245, I70.248 -I70.249, I70.25, I70.261 - I70.263, I70.268, I70.269, I70.291 - I70.293, I70.298 I70.299, I70.301 - I70.303, I70.308 - I70.309, I70.311 - I70.313, I70.318 - I70.319, I70.321 - I70.323, I70.328 - I70.329, I70.331- I70.335, I70.338 I70.339, I70.341 - I70.345, I70.348 - I70.349, I70.35, I70.361 - I70.363, I70.368 - I70.369, I70.391 - I70.393, I70.398 - I70.399, I70.401 - I70.403 I70.408 - I70.409, I70.411 - I70.413, I70.418 - I70.419, I70.421 - I70.423, I70.428 - I70.429, I70.431 - I70.435, I70.438 - I70.439, I70.441 - I70.445 I70.448 - I70.449, I70.45, I70.461 -I70.463, I70.468 - I70.469, I70.491 - I70.493, I70.498 - I70.499, I70.501 - I70.503, I70.508 - I70.509, I70.511 I70.512, I70.513, I70.518 - I70.519, I70.521 - I70.523, I70.528 - I70.529, I70.531 - I70.535, I70.538 - I79.539, I70.541 - I70.545, I70.548 - I70.549 I70.55, I70.561 -I70.563, I70.568 - I70.569, I70.591 - I70.593, I70.598 - I70.559, I70.601 - I70.603, I70.608 - I70.609, I70.611 - I70.613, I70.618 I70.619, I70.621 - I70.623, I70.628 - I70.629, I70.631 - I70.635, I70.638 - I70.639, I70.641 - I70.645, I70.648 - I70.649, I70.65, I70.661 - I70.663 I70.668 - I70.669, I70.691 - I70.693, I70.698 - I70.699, I70.701 - I70.703, I70.708 - I70.709 , I70.711 - I70.713, I70.718 - I70.719, I70.721 - I70.723 I70.728 - I70.729, I70.731 - I70.735, I70.738 - I70.739, I70.741 - I70.745, I70.748 - I70.749, I70.75, I70.761 - I70.763, I70.768 -I70.769, I70.791 I70.792 - I70.793, I70.798 - I70.799, I70.8 and I70.790 - I70.792</p> <p>8. I74.01, I74.09 - I74.11, I74.19, I74.2 - I74.5 and I74.8 - I74.9</p> <p>9. I75.011 - I75.013, I75.019, I75.021 - I75.023, I75.029, I75.81 and I75.89</p> <p>C. And/or, a CPT code for one of the following procedures should have been reported in a Progress Note within the year prior to the Measurement Period</p> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Measure Documentation <i>(continued)</i></p>	<ol style="list-style-type: none"> 1. The following CPT codes identify Percutaneous Coronary Intervention (PCI) procedures 92920, 92924, 92928, 92933, 92937, 92941 and 92943 2. The following CPT codes identify Coronary Artery Bypass Graft (CABG) procedures <ol style="list-style-type: none"> a. 33510 - 33514, 33516 - 33519, 33521 - 33523 and 33533 - 33536 b. S2205 - S2209 3. The CPT codes should have been recorded in one of the following locations in a Progress Note <ol style="list-style-type: none"> a. <i>Progress Notes</i> → <i>Treatment</i> → <i>Procedures</i> b. <i>Progress Notes</i> → <i>Billing</i> <p>D. Helpful Hints</p> <ol style="list-style-type: none"> 1. When adding a diagnosis to a patient's Problem List, record the onset date of the disorder, if known, in the associated "Onset Date" field 2. For quick and easy reference, document any PCI or CABG procedures in the "Surgical History" section of the patient's chart, as well 3. For quick and easy reference, add the patient's Cardiologist" to the "Circle of Care" section of the patient's chart
	<p style="text-align: center;"><u>To Satisfy This Measure</u> <i>(Numerator Documentation)</i></p> <p>Document a prescription for, and use of, an aspirin or other anti-thrombotic medication in the "Current Medications" section of the patient's chart in eCW</p> <ol style="list-style-type: none"> 1. Examples of acceptable medications for this measure include: <i>(continued)</i>

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Measure Documentation <i>(continued)</i></p>	<ul style="list-style-type: none"> a. All variations of aspirin medications b. Prasugrel c. Clopidogrel d. Ticlopidine <p>2. Document the medication from one of the following locations</p> <ul style="list-style-type: none"> a. <i>Progress Notes → Treatment → Add</i> b. <i>Telephone/Web Encounter → Rx tab → Select Rx</i> c. <i>Telephone/Web Encounter → Virtual Visit → Current Medications</i> d. <i>Telephone/Web Encounter → Virtual Visit tab → Treatment → Add</i> e. <i>Progress Notes → Current Medications</i> <p>B. Helpful Hints</p> <ul style="list-style-type: none"> 1. Document any allergy or intolerance to aspirin or antithrombotics in the "Allergy" section of the patient's chart 2. If an aspirin or antithrombotic medication is started and then stopped, document the reason for stopping the medication in a Progress Note or Telephone Encounter in the patient's chart
<p>Exclusion and/or Exception Documentation</p>	<p style="text-align: center;">None</p>
<p>Trouble-Shooting</p>	<p style="text-align: center;"><u>Having Problems? Check Out the Following Trouble-Shooting Tips</u></p> <p>I. Confirm diagnoses assessed by specialists, ER and hospital physicians</p> <ul style="list-style-type: none"> A. Add applicable diagnoses to the patient's Problem List in your EMR B. Keep the Problem List accurate by archiving diagnoses that are no longer valid to the Medical History section of the patient's chart

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Trouble-Shooting <i>(continued)</i></p>	<p>II. Confirm medications prescribed by specialists, ER and hospital physicians</p> <ul style="list-style-type: none"> A. Add new medications to the patient's Current Medications list in the patient's chart in your EMR B. Keep the Current Medications list accurate by removing medications that are no longer being taken
	<p>III. Document any adverse reactions (allergy or intolerance) to an Asthma controller medication in the "Allergies" section of the patient's chart</p> <ul style="list-style-type: none"> A. Access the "Allergies" section of the patient's chart in one of the following ways: <ul style="list-style-type: none"> 1. <i>Progress Note (or Virtual Visit) → Allergies/Intolerances</i> 2. From the Progress Note Dashboard, click the Allergies/Intolerance icon B. Add a new Allergy or Intolerance as follows: <ul style="list-style-type: none"> 1. From the "Allergies/Intolerance" window, click "Add" 2. The "Past Medical History" window will open <ul style="list-style-type: none"> a. "Structured/Non-Structured" Field <ul style="list-style-type: none"> 1) Select "Structured" if documenting a Drug allergy 2) Select "Non-Structured" if documenting a non-Drug allergy b. "Agent/Substance" Field <ul style="list-style-type: none"> 1) For a Structured (Drug) Allergy <ul style="list-style-type: none"> a) Click on the field to open the "Select Rx" window b) Find and select the appropriate medication c) Click "OK" to save the information and exit the window <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Trouble-Shooting <i>(continued)</i></p>	<p style="text-align: center;">2) For a Non-Structured A (Non-Drug/Other) Allergy</p> <ul style="list-style-type: none"> a) Click in the empty field to reveal a carat for a drop-down box b) Click the carat to reveal a list of (Non-Drug/Other) Allergy options c) Select an Allergy from the list of options in the drop-down box d) OR, free-type an Allergy into the "Agent/Substance" field <p>c. "Reaction" Field</p> <ul style="list-style-type: none"> 1) For any Allergy, click in the empty "Reaction" field to reveal a carat for a drop-down list of options 2) Select the appropriate Reaction from the list of options (i.e., anaphylaxis) 3) OR, free-type a reaction into the empty field <p>d. "Type" Field</p> <ul style="list-style-type: none"> 1) For any Allergy, click in the empty "Type" field to reveal a carat for a drop-down list 2) Select the appropriate type (i.e., Allergy versus Intolerance) from the list of options <p>e. "Status" Field</p> <ul style="list-style-type: none"> 1) For any Allergy, click in the empty "Status" field to reveal a carat for a drop-down list 2) Select the current status (i.e., Active versus Inactive) for the Allergy/Intolerance from the list of options
	<p>IV. Verify that any applicable ICD-10 diagnosis code(s) have been added to the Problem List in the patient's chart in the EMR</p> <ul style="list-style-type: none"> A. Verify that the correct ICD-10 diagnosis code has been added B. Add a diagnosis to the patient's Problem List in one of the following ways: <i>(continued)</i>

Measure Name	IVD: Daily Aspirin Use <i>(continued)</i>
<p>Trouble-Shooting <i>(continued)</i></p>	<ol style="list-style-type: none"> 1. <i>Progress Note (or Virtual Visit) → Assessments → Problem List → Add</i> 2. OR, From the ICW (Right-Hand Chart Panel), click the "Overview" tab <ol style="list-style-type: none"> a. Click the orange button (with three dots) in the Progress Note band b. Click "Add" 3. <i>Helpful Tip: When adding a new diagnosis to the Problem List, enter the onset date (if known) in the associated "Onset Date" field</i> <p>V. For further assistance, contact Ed Worthington (eworthington@npoinc.org) or Kelly Saxton (ksaxton@npoinc.org) at NPO (231-421-8505)</p>
<p>For More Information</p>	<p style="text-align: center;"><u>For More Information</u></p> <ol style="list-style-type: none"> I. NQF 0068: "Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic" II. eClinicalWorks "MIPS - CMS 164 - Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic" III. eClinicalWorks "MIPS - Registry 204 (NQF 0068) (MIPS -CMS 164) - Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antithrombotic" IV. 2016 GPRO PREV Supporting Documents