

## eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV
Relevance	NPO Population Clinical Quality Dashboard [NQF 0038-11: Pediatric Measure]
Measure Definition	<i>The percentage of children, 2 years of age, who were administered one Chicken Pox (VZV) vaccine by the time of their second birthday</i>
Measurement Period	The <b>Measurement Period</b> is defined as the current calendar year (January 1 to December 31)
Denominator	<p>The <b>Denominator</b> consists of patients who:</p> <ol style="list-style-type: none"> <li>I. Are <math>\geq 1</math> year of age before the start of the Measurement Period</li> <li>II. <b>AND</b>, Turn 2 years of age before the end of the Measurement Period</li> <li>III. <b>AND</b>, Are seen for an applicable E&amp;M visit during the Measurement Period</li> </ol>
Numerator	The <b>Numerator</b> consists of patients, from the Denominator, who have been administered one instance of VZV vaccine by the time the patient turns 2 years of age
Exclusions and/or Exceptions	<p>Patients are <b>excluded</b> from this measure for one of the following reasons:</p> <ol style="list-style-type: none"> <li>I. They have an active diagnosis for a Disorder of the Immune System (<math>\leq 2</math> years of age)</li> <li>II. <b>OR</b>, They have an active diagnosis for HIV (<math>\leq 2</math> years of age)</li> <li>III. <b>OR</b>, They have an active diagnosis for Malignant Neoplasm of Lymphatic Tissue (<math>\leq 2</math> years of age)</li> <li>IV. <b>OR</b>, They have had an active, inactive, or resolved diagnosis for Varicella Zoster (<math>\leq 2</math> years of age)</li> <li>V. <b>OR</b>, They have had a <i>Positive</i> result (for IgG antibody presence) for the Varicella Zoster Antibody Test (<math>&lt; 2</math> years of age)</li> <li>VI. <b>OR</b>, They have had an anaphylactic reaction to Neomycin (<math>\leq 2</math> years of age)</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p style="text-align: center;"><b>Measure Documentation</b></p>	<p style="text-align: center;"><b><u>To Qualify For This Measure</u></b> <i>(Denominator Documentation)</i></p> <p><b>The patient must be seen for an applicable visit encounter during the Measurement Period</b></p> <p><b>A. The following E&amp;M codes identify applicable visit encounters</b></p> <ol style="list-style-type: none"> <li>1. 99201 - 99205 and 99212 - 99215</li> <li>2. 99341 - 99345, 99347 - 99350, 99381 - 99384 and 99391 - 99394</li> </ol> <p><b>B. Record the appropriate E&amp;M code in the Billing section of the Progress Note for the visit</b> <i>(Progress Notes → Billing)</i></p>
	<p style="text-align: center;"><b><u>To Satisfy This Measure</u></b> <i>(Numerator Documentation)</i></p> <p>Document the administration/receipt of this vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</p> <p><b>A. If the vaccine is administered in your office:</b></p> <ol style="list-style-type: none"> <li>1. From within the open Progress Note, click on the "Immunizations" link</li> <li>2. The "Immunizations/T. Injections" window will open</li> <li>3. Click "Add" to open the "Immunization Details" window</li> <li>4. Select the VZV vaccine from the left-hand panel</li> <li>5. Complete all open fields in the right-hand panel</li> <li>6. Click "OK" to save and close</li> </ol> <p><b>B. If the vaccine was administered at another health facility</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit or from the patient's Hub</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

**eCW Documentation Guide**

Measure Name	<b>Childhood Immunization Status: VZV (continued)</b>
<p><b>Measure Documentation</b> <i>(continued)</i></p>	<ol style="list-style-type: none"> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:               <ol style="list-style-type: none"> <li>a. Check the "Y" radio button for "Vaccination Given in the Past"</li> <li>b. Enter the "Dose Number"</li> <li>c. Change the "Status" to "Administered"</li> <li>d. Enter the name of the Provider or Health Facility that administered the vaccine in the "Given By" field, if known</li> <li>e. Enter the date the vaccine was administered in the "Given Date/Time" field</li> </ol> </li> <li>5. Click "OK" to close</li> <li>6. Note: Vaccines marked "Given in the Past" should not push to MCIR</li> </ol>
<p><b>Exclusion and/or Exception Documentation</b></p>	<p style="text-align: center;"><b><u>To Exclude Patients From This Measure</u></b> <i>(Exclusion and/or Exception Documentation)</i></p> <ol style="list-style-type: none"> <li>I. If the vaccine should not be administered because the patient has an active diagnosis for a Disorder of the Immune System           <ol style="list-style-type: none"> <li>A. Document the non-administration of the vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:               <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit or from the patient's Hub</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:                   <ol style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field</li> </ol> </li> </ol> </li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<ol style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Type "Diagnosis of a Disorder of the Immune System" in the field labeled "Other"</li> <li>3) Click "OK" to close the window</li> </ol> <p>5. Click "OK" to exit</p> <ol style="list-style-type: none"> <li>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</li> <li>b. The vaccine, and the reason given for non-administration, will push to MCIR</li> </ol> <p><b>B. Also, document one of the following ICD-10 diagnosis codes for a Disorder of the Immune System in the Problem List of the patient's chart in eCW</b></p> <ol style="list-style-type: none"> <li>1. D80.0 - D80.9</li> <li>2. D81.0, D81.1, D81.2, D81.4, D81.6, D81.7, D81.89 and D81.9</li> <li>3. D82.0 - D82.4, D82.8 and D82.9</li> <li>4. D83.0 - D83.2, D83.8 and D83.9</li> <li>5. D84.0, D84.1, D84.8 and D84.9</li> <li>6. D89.3, D89.810 - D89.813, D89.82, D89.89 and D89.9</li> </ol>
	<p><b>II. If the vaccine should not be administered because the patient has an active diagnosis for HIV:</b></p> <p><b>A. Document the non-administration of the vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit or from the patient's Hub</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p>Exclusion and/or Exception Documentation <i>(continued)</i></p>	<ul style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field                             <ul style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Type "Diagnosis of HIV" in the field labeled "Other"</li> <li>3) Click "OK" to close the window</li> </ul> </li> <li>5. Click "OK" to exit                             <ul style="list-style-type: none"> <li>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</li> <li>b. The vaccine, and the reason given for non-administration, will push to MCIR</li> </ul> </li> </ul> <p><b>B. Also, document one of ICD-10 diagnosis codes for HIV (B20, B97.35 and Z21) in the Problem List of the patient's chart in eCW</b></p>
	<p><b>III. If the vaccine should not be administered because the patient has an active diagnosis for a Malignant Neoplasm of Lymphatic Tissue</b></p> <p><b>A. Document the non-administration of this vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <ul style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit or from the patient's Hub</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:                             <ul style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field                                     <ul style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Type "Malignant Neoplasm of Lymphatic Tissue" in the field labeled "Other"</li> </ul> </li> </ul> </li> </ul> <p style="text-align: right;"><i>(continued)</i></p>

eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<p>3) Click "OK" to close the window</p> <p>5. Click "OK" to exit</p> <p>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</p> <p>b. The vaccine, and the reason given for non-administration, will push to MCIR</p> <p><b>B. Also, document one of the following ICD-10 diagnosis codes for Malignant Neoplasm of Lymphatic Tissue in the Problem List of the patient's chart in eCW</b></p> <ol style="list-style-type: none"> <li>1. C81.00 - C81.49, C81.70 - C81.79 and C81.90 - C81.99</li> <li>2. C82.00 - C82.69 and C82.00 - C82.99</li> <li>3. C83.00 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99</li> <li>4. C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79 and C84.90 - C84.99</li> <li>5. C84.A0 - C84.A9 and C84.Z0 - C84.Z9</li> <li>6. C85.10 - C85.29, C85.80 - C85.99</li> <li>7. C86.0 - C86.6</li> <li>8. C88.2 - C88.4 and C88.8 - C88.9</li> <li>9. C90.00 - C90.02, C90.10 - C90.12, C90.20 - C90.22 and C90.30 - C90.32</li> <li>10. C91.00 - C91.02, C91.10 - C91.12, C91.30 - C91.32, C91.40 - C91.42, C91.50 - C91.52, C91.60 - C91.62 C91.90 - C91.92, C91.A0 - C91.A2 and C91.Z0 - C91. Z2</li> <li>11. C92.00 - C92.02, C92.10 - C92.12, C92.20 - C92.22, C92.30 - C92.32, C92.40 - C92.42, C92.50 - C92.52, C92.60 - C92.62, ,C92.90 - C92.92, C92.A0 - C92.A2 and C92.Z0 - C92.Z2</li> <li>12. C93.00 - C93.02, C93.10 - C93.12, C93.30 - C93.32, C93.90 - C93.92 and C93.Z0 - C93.Z1</li> <li>13. C94.00 - C94.02, C94.20 - C94.22 and C94.30 - C94.32</li> <li>14. C95.00 - C95.02, C95.10 - C95.12, C95.90 - C95.92</li> <li>15. C96.0, C96.2, C96.4, C96.9, C96.A and C96.Z</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<p><b>IV. If this vaccine need not be administered because the patient has had Varicella Zoster disease</b></p> <p><b>A. Document the non-administration of the vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit, or from the patient's Hub</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel: <ol style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field <ol style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Click the selection button (with three dots) for the "History of Immunity" field</li> <li>3) Find and select "Varicella"</li> <li>4) Click "OK" to close the window</li> </ol> </li> </ol> </li> <li>5. Click "OK" to exit <ol style="list-style-type: none"> <li>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</li> <li>b. The vaccine, and the reason given for non-administration, will push to MCIR</li> </ol> </li> </ol> <p><b>B. Also, document one of the following ICD-10 diagnosis codes for Varicella Zoster disease in the Problem List in the patient's chart</b></p> <ol style="list-style-type: none"> <li>1. B01.0, B01.11 - B01.12, B01.2, B01.81, B01.89 and B01.9</li> <li>2. B02.0 - B02.1, B02.21 - B02.24, B02.29 - B02.34, B02.39 and B02.7 - B02.9</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<p><b>V. If the vaccine need not be administered because the patient has had a Positive result for a Varicella Zoster Antibody Test</b></p> <p><b>A. Document the non-administration of the vaccine in the "Immunizations/T. Injections" section of the patient's chart, as follows:</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit, or from the patient's Hub</li> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:             <ol style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field                 <ol style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Type "Positive Result for Varicella Zoster Antibody Test" in the field marked "Other"</li> <li>3) Click "OK" to close the window</li> </ol> </li> </ol> </li> <li>5. Click "OK" to exit             <ol style="list-style-type: none"> <li>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</li> <li>b. The vaccine, and the reason given for non-administration, will push to MCIR</li> </ol> </li> </ol> <p><b>B. Also, document the (Positive) Varicella Zoster Antibody Test result in the "Labs" section of the patient's chart in eCW</b></p> <ol style="list-style-type: none"> <li>1. <b>If the Varicella Zoster Antibody Test lab order has been electronically-generated and resulted in your EMR, no further action is necessary</b></li> <li>2. <b>Otherwise, manually generate the lab order and/or enter the lab result, as follows:</b> <ol style="list-style-type: none"> <li>a. Access the "Labs" section of the patient's chart</li> <li>b. If necessary, click "New" to create a new Lab order</li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

**eCW Documentation Guide**

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<ol style="list-style-type: none"> <li>1) Click the "SEL" button, adjacent to the "Lab" search field</li> <li>2) Find and select the appropriate VZV Antigen lab from the list of Lab options</li> </ol> <p>3. Complete the following fields:</p> <ol style="list-style-type: none"> <li>a. <b>Order Date</b> <ol style="list-style-type: none"> <li>1) If necessary, enter the date the lab was ordered</li> <li>2) Hint: if you do not know the order date, enter the date the test was performed</li> </ol> </li> <li>b. <b>Collection Date</b> <p>(MANDATORY)</p> <ol style="list-style-type: none"> <li>1) Check the box in the "Collection Date" field</li> <li>2) Enter the date the sample was collected</li> <li>3) Hint: If you do not know the collection date, enter the date the test was performed</li> </ol> </li> <li>c. <b>Results</b> <p>(MANDATORY)</p> <p>(MANDATORY)</p> <p>(MANDATORY)</p> <ol style="list-style-type: none"> <li>1) Check the "Received" box in the Results section</li> <li>2) Enter the date the test was performed</li> <li>3) Type the result (Positive or Negative) in the yellow grid</li> </ol> </li> <li>d. <b>Reviewed:</b> Check the "Reviewed" box</li> </ol>
	<p><b>VI. If the vaccine cannot be administered because the patient has had an anaphylactic reaction to Neomycin</b></p> <p><b>A. Document the non-administration of the vaccine in the "Immunizations/T. Injections" section of the patient's chart in eCW, as follows:</b></p> <ol style="list-style-type: none"> <li>1. Access the "Immunizations/T. Injections" window from an open Progress Note, Virtual Visit, or from the patient's Hub <i>(continued)</i></li> </ol>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Exclusion and/or Exception Documentation</b> <i>(continued)</i></p>	<ol style="list-style-type: none"> <li>2. Click "Add" to open the "Immunization Details" window</li> <li>3. Select the VZV vaccine from the left-hand panel</li> <li>4. In the right-hand panel:               <ol style="list-style-type: none"> <li>a. Change the "Status" to "Not Administered"</li> <li>b. Click the selection button (with three dots) for the "Reason" field                   <ol style="list-style-type: none"> <li>1) A "Select reason for not administered" window will open</li> <li>2) Type "Anaphylaxis to Neomycin" in the field labeled "Other"</li> <li>3) Click "OK" to close the window</li> </ol> </li> </ol> </li> <li>5. Click "OK" to exit               <ol style="list-style-type: none"> <li>a. The vaccine will display in the "Immunizations/T. Injections" section of the patient's chart with an Immunization Status of "NA" (for Not Administered)</li> <li>b. The vaccine, and the reason given for non-administration, will push to MCIR</li> </ol> </li> </ol> <p><b>B. Also, document the anaphylactic reaction to Neomycin in the "Allergies/Intolerances" section of the patient's chart in eCW</b></p>
<p><b>Trouble-Shooting</b></p>	<p style="text-align: center;"><b><u>Having Problems? Check Out the Following Trouble-Shooting Tips</u></b></p> <ol style="list-style-type: none"> <li>I. <b>Verify that a correct CVX code has been linked with the immunization in your EMR</b> <ol style="list-style-type: none"> <li>A. <b>One of the following CVX codes must be linked to the VZV immunization: 21 or 94</b></li> <li>B. <b>To link a CVX code to an immunization, do the following:</b> <ol style="list-style-type: none"> <li>1. From the EMR menu in eCW, click on "Immunizations/Therapeutic Injections"</li> <li>2. Select "Immunizations/Therapeutic Injections" from the drop-down list of options</li> <li>3. The "Immunizations/Therapeutic Injections" window will open</li> </ol> </li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p><b>a. To add or update the CVX code for an existing immunization</b></p> <ol style="list-style-type: none"> <li>1) Select the immunization to be modified</li> <li>2) Click the carat next to the "New" button</li> <li>3) Select "Update" from the drop-down list of options</li> <li>4) The "Update Immunization" window will open               <ol style="list-style-type: none"> <li>a) Click the "Sel" button adjacent to the "CVX Code" field</li> <li>b) Select the appropriate CVX code from the drop-down list of options</li> <li>c) Click "OK" to exit the window</li> </ol> </li> <li>5) Click "Close" to save the information and return to the EMR menu</li> </ol> <p><b>b. To add a new immunization and associated CVX code</b></p> <ol style="list-style-type: none"> <li>1) From the "Immunizations/Therapeutic Injections" window, click the "New" button</li> <li>2) A "New Immunization" window will open               <ol style="list-style-type: none"> <li>a) Enter the information for the new immunization in the displayed fields</li> <li>b) Click "OK" to exit the window</li> </ol> </li> <li>3) Click "Close" to save the information and return to the EMR menu</li> </ol>
	<p><b>II. Verify that an immunization (Status = Administered or Non Administered) has been documented in the patient's chart in the EMR</b></p> <ol style="list-style-type: none"> <li>A. If necessary, obtain the immunization information from an outside health facility or MCIR</li> <li>B. If applicable, provide a reason for any immunization with a Status of "Not Administered"</li> </ol> <p style="text-align: center;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<b>Trouble-Shooting</b> <i>(continued)</i>	<p><b>III. Verify that any applicable ICD-10 diagnosis code(s) have been added to the Problem List in the patient's chart in the EMR</b></p> <p>A. Verify that the correct ICD-10 diagnosis code has been added</p> <p>B. Add a diagnosis to the patient's Problem List in one of the following ways:</p> <ol style="list-style-type: none"> <li>1. <i>Progress Note (or Virtual Visit) → Assessments → Problem List → Add</i></li> <li>2. <b>OR</b>, From the ICW (Right-Hand Chart Panel), click the "Overview" tab <ol style="list-style-type: none"> <li>a. Click the orange button (with three dots) in the Progress Note band</li> <li>b. Click "Add"</li> </ol> </li> <li>3. <b>Helpful Tip:</b> When adding a new diagnosis to the Problem List, enter the onset date (if known) in the associated "Onset Date" field</li> </ol>
	<p><b>IV. Verify that the appropriate LOINC code has been associated with any applicable Lab</b></p> <p><b>A. One of the following LOINC codes must be linked to the Varicella Zoster Antibody Test:</b>  15410-4, 19162-7, 41512-5, 42537-1 and 53534-4</p> <p><b>B. To associate a new, or update an existing, LOINC code with a Lab, do the following:</b></p> <ol style="list-style-type: none"> <li>1. From the EMR menu in eCW, click on "Labs, DI &amp; Procedures"</li> <li>2. Select "Labs" from the drop-down list of options</li> <li>3. The "Labs" window will open <ol style="list-style-type: none"> <li>a. Find and select the appropriate lab</li> <li>b. Click the "Attribute Codes" button (at the bottom of the window)</li> <li>c. A new window specific to the selected lab will open</li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<b>Trouble-Shooting</b> <i>(continued)</i>	<ol style="list-style-type: none"> <li>1) Click the "Update LOINC" button (at the bottom of the window)</li> <li>2) The "Associate LOINC" window will open               <ol style="list-style-type: none"> <li>a) Find and select the appropriate LOINC code</li> <li>b) Click "OK" to close the LOINC window</li> </ol> </li> <li>3) Click "OK" to exit the Lab-specific window</li> <li>4. Click the X (in the top, right-hand corner) to close the "Labs" window</li> </ol>
	<p><b>V. Verify that all mandatory Lab fields have been completed (especially for manually-created Lab orders and/or manually-entered Lab results)</b></p> <ol style="list-style-type: none"> <li>A. I.e., Verify that the "Collection Date" box has been checked</li> <li>B. I.e., Verify that the (Results) "Received" box has been checked</li> <li>C. I.e., Verify that a "Results" date has been entered</li> <li>D. I.e., Verify that the Result has been entered in the yellow grid</li> <li>E. I.e., Verify that the "Reviewed" box has been checked</li> </ol>
	<p><b>VI. Verify that any/all applicable Allergies have been documented in the "Allergies/Intolerances" section of the patient's chart in eCW</b></p> <ol style="list-style-type: none"> <li>A. Access the "Allergies/Intolerances" section of the patient's chart in one of the following ways:           <ol style="list-style-type: none"> <li>1. Progress Note (or Virtual Visit) → Allergies/Intolerances</li> <li>2. <b>OR</b>, From the Progress Note Dashboard, click the Allergies/Intolerance icon</li> </ol> </li> <li>B. <b>Add a new Allergy or Intolerance as follows:</b> <ol style="list-style-type: none"> <li>1. From the "Allergies/Intolerance" window, click "Add"</li> <li>2. The "Past Medical History" window will open</li> </ol> </li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

## eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p>a. <b>"Structured/Non-Structured" Field</b></p> <ol style="list-style-type: none"> <li>1) Select "Structured" if documenting a Drug allergy</li> <li>2) Select "Non-Structured" if documenting a non-Drug allergy</li> </ol> <p>b. <b>"Agent/Substance" Field</b></p> <ol style="list-style-type: none"> <li><b>1) For a Structured (Drug) Allergy</b> <ol style="list-style-type: none"> <li>a) Click on the field to open the "Select Rx" window</li> <li>b) Find and select the appropriate medication</li> <li>c) Click "OK" to save the information and exit the window</li> </ol> </li> <li><b>2) For a Non-Structured A (Non-Drug/Other) Allergy</b> <ol style="list-style-type: none"> <li>a) Click in the empty field to reveal a carat for a drop-down box</li> <li>b) Click the carat to reveal a list of (Non-Drug/Other) Allergy options</li> <li>c) Select an Allergy from the list of options in the drop-down box</li> <li>d) <b>OR</b>, free-type an Allergy into the "Agent/Substance" field</li> </ol> </li> </ol> <p>c. <b>"Reaction" Field</b></p> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Reaction" field to reveal a carat for a drop-down list</li> <li>2) Select the appropriate Reaction from the list of options (i.e., anaphylaxis)</li> <li>3) <b>OR</b>, free-type a reaction into the empty field</li> </ol> <p>d. <b>"Type" Field</b></p> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Type" field to reveal a carat for a drop-down list</li> <li>2) Select the appropriate type (i.e., Allergy versus Intolerance) from the list of options</li> </ol> <p style="text-align: right;"><i>(continued)</i></p>

eCW Documentation Guide

Measure Name	Childhood Immunization Status: VZV <i>(continued)</i>
<p><b>Trouble-Shooting</b> <i>(continued)</i></p>	<p>e. "Status" Field</p> <ol style="list-style-type: none"> <li>1) For any Allergy, click in the empty "Status" field to reveal a carat for a drop-down list of options</li> <li>2) Select the current status (i.e., Active versus Inactive) for the Allergy/Intolerance from the list of options</li> </ol>
	<p><b>VII. For further assistance, contact Ed Worthington (eworthington@npoinc.org ) or Kelly Saxton (ksaxton@npoinc.org) at NPO (231-421-8505)</b></p>
<p><b>For More Information</b></p>	<p style="text-align: center;"><b><u>For More Information</u></b></p> <ol style="list-style-type: none"> <li>I. HEDIS: " Childhood Immunization Status"</li> <li>II. eClinicalWorks"MIPS - CMS 117 - Childhood Immunization"</li> </ol>