

References Joint Replacement Preoperative Risk Optimization

Bibliography

Adesanya, A. L. (2010). Perioperative management of obstructive sleep apnea. *Chest*(138), 1489-1498.

Baron, D. M., Hochrieser, H., Posch, M., Metnitz, B., & Rhodes, A. (2014). Preoperative anaemia is associated with poor clinical outcome in non-cardiac surgery patients. *British Journal of Anaesthesia*, 113(3), 416-423.

Doering , L. V., Moser, D. K., Lemankiewicz, W., Luper , C., & Khan, S. (2005, July). Depression, healing, and recovery from coronary artery bypass surgery. *American Journal of Critical Care*, 14(4), 316-324.

Gureje, O. (2008, January). Treating chronic pain in the context of comorbid depression. *Pain*, 134, 1-4.

Hempel A, Maasch C, Heintze U, Lindschau C, Dietz . (1997). High glucose concentrations increase endothelial cell permeability via activation of protein kinase C alpha. *Circulation Research*, 81, 363–369.

Jämsen, E., Nevalainen, P., Eskelinen, A., Huotari, K., Kalliovalkama, J., & Moilanen, T. (2012, July). Obesity, Diabetes, and Preoperative Hyperglycemia as Predictors of Periprosthetic Joint Infection. *Journal of Bone and Joint Surgery*, 94(14), e101.

Kapadia, B. H., Johnson, A. J., Naziri, Q., Mont, M. A., Delanois, R. E., & Bonutti, P. M. (2012, October). Increased Revision Rates After Total Knee Arthroplasty in Patients Who Smoke. *The Journal of Arthroplasty*, 27(9), P1690-1695.

LaPort, D. M., Waldman, B. J., Mont, M. A., & Hungerford, D. S. (1999). Infections associated with dental procedures in total hip arthroplasty. *Journal of Bone and Joint Surgery*, 81, 56-59.

Lau MS,, E., Kurtz PhD, S., Ong PhD, K., Berry, D. J., & Bozic, K. J. (2012). Patient-related Risk Factors for Postoperative Mortality and Periprosthetic Joint Infection in Medicare Patients. *Clinical Orthopedics and Related Research*, 470, 130-137.

Leung, J. M. (2010, May). Postoperative delirium: are there modifiable risk factors? *European Journal of Anaesthesiology*, 27(5), 403-405.

Lübbecke , A., Stern , R., Garavaglia , G., Zurcher , L., & Hoffmyer, P. (2007, March). Differences in outcomes of obese women and men undergoing primary total hip arthroplasty. *Arthritis & Rheumatology.*, 52(2), 327-334.

Marhoffer, MD, W., Stein, M., & Maeser, E. (1992, Feruary). Impairment of Polymorphonuclear Leukocyte Function and Metabolic Control of Diabetes. *Diabetes Care*, 15(2), 256-260.

McAnally, H. (2017). Rationale for and approach to preoperative opioid weaning: a preoperative optimization protocol. *Perioperative Medicine*, 6(19). doi:<https://doi.org/10.1186/s13741-017-0079-y>

Mednick, R. E., Alvi, H. M., Krishnan, V., Lovecchio, F., & Manning, D. W. (2014, July). Factors Affecting Readmission Rates Following Primary Total Hip Arthroplasty. *Journal of Bone and Joint Surgery*, 96(14), 1201.

Møller, A. M., Kjellberg, J., & Pedersen, T. (2006, February). Health economic analysis of smoking cessation prior to surgery--based on a randomised trial. *Ugeskrift for Laeger*, 168(10), 1026-1030.

Musallam, K. M., Tamim, H. M., & Richards, T. (2011). Preoperative Anemia and Post Operative Outcomes in nonCardiac Surgery: a retrospective cohort study. *Lancet*, 378, 1396–407.

Reyfield, E. J., Ault, M. J., Keusch, G. T., Brothers, M. J., Nechemias, C., & Smith, H. (1982, March). Infection and diabetes: the case for glucose control. *American Journal of Medicine*, 72(3), 439-50.

Ritter, M. A., Davis, K. E., Meding, J. B., Pierson, J. L., Berend, M. E., & Malinzak, R. A. (2011, Septmber). The effect of alignment and BMI on failure of total knee replacement. *Journal of Bone and Joint Surgery*, 93(17), 1588.

Villebro, N. M., Pedersen, T., Møller, A. M., & Tønnesen, H. (2008, July). Long-term effects of a preoperative smoking cessation programme. *Clinical Respiratory Journal*, 2(3), 175-82.

Waldman, B. J., Mont, M. A., & Hungerford, D. S. (1997). Total knee arthroplasty infections associated with dental procedures. *Clinical orthopaedics and related research*, 164-172.

Walker, M., Marshall, S. M., & Alberti, K. G. (1989). *Walker M1, Marshall SM, Alberti KG*. Department of Medicine. Newcastle on Tyne: The Medical School.

Winiarsky, R., Barth, P., & Lotke, P. (1998, December). Preoperative Weight Loss for Morbidly Obese Patients Undergoing Total Knee Arthroplasty: Determining the Necessary Amount. *Journal of Bone and Joint Surgery*, 80(12), 1770-4.